



Astro Sign-Brac Overhead Street Name Signs Cable Mount

Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Most sign-bracs are available with stainless cable or band, and tenon mount clamp kits.



SIGN MOUNTS




Galaxy Sign-Brac, Stainless Cable Mount for Overhead Street Name Signs

AG-0144 - - -

CTC Cable
 Length Coating

See Sign See PNC=Process No Color
Clamp Tables Table P_ =Paint

Cable Length:	62"	84"	96"	120"	144"	220"	280"
Maximum Pole Dia:	7.0"	10.5"	12.4"	16.2"	20.1"	32.2"	35.0"
Pole Dia w/ Ty-back:	4.5"	7.6"	9.6"	13.4"	17.2"	29.3"	35.0"



Stellar Sign-Brac, Stainless Cable Mount for Overhead Street Name Signs

AS-0144 - - -

CTC Cable
 Length Coating


See Sign See PNC=Process No Color
Clamp Tables Table P_ =Paint

Cable Length:	62"	84"	96"	120"	144"	220"	280"
Maximum Pole Dia:	7.0"	10.5"	12.4"	16.2"	20.1"	32.2"	35.0"
Pole Dia w/ Ty-back:	4.5"	7.6"	9.6"	13.4"	17.2"	29.3"	35.0"

2 Sign Clamps				
Sign:	18"	24"	30"	36"
Max CTC:	12"	18"	24"	30"

4 Sign Clamps										
Sign:	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
Max CTC:	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"

6 Sign Clamps			
Sign:	102"	108"	114"
Max CTC:	96"	102"	108"



Notes:

130 mph wind zone maximum: 16 sq-ft
150 mph wind zone maximum: 12 sq-ft

1. Capacities listed are only for applications with the clamp kit mounted in the center of the sign.
2. Signs must be properly engineered for specific application.
3. Tube length is 4" longer than maximum CTC.

Note: 1. All assemblies are supplied standard with stainless steel cable, clamp screw, and fasteners.
2. See Reference Section page v for available paint colors.




Astro Sign-Brac Overhead Street Name Signs Band and Tenon Mount

Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Most sign-bracs are available with stainless cable or band, and tenon mount clamp kits.



AS-3004
Clamp Kit



AB-0502
Sign Clamp

Stellar Sign-Brac, Stainless Band Mount for Overhead Street Name Signs


AS-0128 - - -

CTC Band Length Coating

See Sign See PNC=Process No Color
Clamp Tables Table P_ _=Paint

Band Length:	29"	42"	56"	72"	114"
Maximum Pole Dia:	7.3"	11.5"	15.9"	21.0"	34.4"

AS-3010
Clamp Kit



AB-0502
Sign Clamp

Stellar Sign-Brac, Tenon Mount for Overhead Street Name Signs

AS-0662 - -

CTC Coating


See Sign PNC=Process No Color
Clamp Tables P_ _=Paint

Note:
Fits 1.9" to 4.5" diameter.

2 Sign Clamps				
Sign:	18"	24"	30"	36"
Max CTC:	12"	18"	24"	30"

4 Sign Clamps										
Sign:	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
Max CTC:	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"

6 Sign Clamps			
Sign:	102"	108"	114"
Max CTC:	96"	102"	108"



Notes:

130 mph wind zone maximum: 16 sq-ft
150 mph wind zone maximum: 12 sq-ft

1. Capacities listed are only for applications with the clamp kit mounted in the center of the sign.
2. Signs must be properly engineered for specific application.
3. Tube length is 4" longer than maximum CTC.

Note: 1. All assemblies are supplied standard with stainless steel cable, clamp screw, and fasteners.
2. See Reference Section page v for available paint colors.




Astro Sign-Brac Overhead Street Name Signs Atlas Articulating Mount

Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Most sign-bracs are available with stainless cable or band, and tenon mount clamp kits.



SIGN MOUNTS




Atlas Sign-Brac, Articulating Stainless Cable Mount for Overhead Street Name Signs

AS-0185 - - -

CTC Cable Coating
 Length
See Sign See PNC=Process No Color
Clamp Table P__=Paint
Tables Table

Cable Length:	62"	84"	96"	120"	144"	220"	280"
Maximum Pole Dia:	7.0"	10.5"	12.4"	16.2"	20.1"	32.2"	35.0"
Pole Dia w/ Ty-back:	4.5"	7.6"	9.6"	13.4"	17.2"	29.3"	35.0"



Atlas Sign-Brac, Articulating Stainless Band Mount for Overhead Street Name Signs

AS-0176 - - -


CTC Band Coating
 Length
See Sign See PNC=Process No Color
Clamp Table P__=Paint
Tables Table

Band Length:	29"	42"	56"	72"	114"
Maximum Pole Dia:	7.3"	11.5"	15.9"	21.0"	34.4"

2 Sign Clamps				
Sign:	18"	24"	30"	36"
Max CTC:	12"	18"	24"	30"

4 Sign Clamps										
Sign:	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
Max CTC:	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"

6 Sign Clamps			
Sign:	102"	108"	114"
Max CTC:	96"	102"	108"



Notes:

130 mph wind zone maximum: 16 sq-ft
150 mph wind zone maximum: 12 sq-ft


1. Capacities listed are only for applications with the clamp kit mounted in the center of the sign.
2. Signs must be properly engineered for specific application.
3. Tube length is 4" longer than maximum CTC.

Note: 1. All assemblies are supplied standard with stainless steel cable, clamp screw, and fasteners.
2. See Reference Section page v for available paint colors.



Astro Sign-Brac Overhead Street Name Signs w/ Signal Mount

Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Most sign-bracs are available with stainless cable or band, and tenon mount clamp kits.




Stellar Astro-Brac Assy, Stainless Cable Mount for Sign w/ Signals

AS-0196 - - -

CTC Cable Length Coating

See Sign See PNC=Process No Color
CTC Table Table P__=Paint

Cable Length:	62"	84"	96"	120"	144"	220"	280"
Maximum Pole Dia:	7.0"	10.5"	12.4"	16.2"	20.1"	32.2"	35.0"
Pole Dia w/ Ty-back:	4.5"	7.6"	9.6"	13.4"	17.2"	29.3"	35.0"



Stellar Astro-Brac Assy, Stainless Band Mount for Sign w/ Signals


AS-0195 - - -

CTC Band Length Coating

See Sign See PNC=Process No Color
CTC Table Table P__=Paint

Band Length:	29"	42"	56"	72"	114"
Maximum Pole Dia:	7.3"	11.5"	15.9"	21.0"	34.4"

Sign CTC							
Max CTC:	24"	30"	36"	42"	48"	54"	60"
Tube Length:	46"	52"	58"	64"	70"	76"	82"



Notes:

130 mph wind zone maximum: 16 sq-ft
150 mph wind zone maximum: 12 sq-ft

1. Capacities listed are only for applications with the clamp kit mounted in the center of the sign.
2. Signs must be properly engineered for specific application.
3. Tube length is 4" longer than maximum CTC.

Note: 1. All assemblies are supplied standard with stainless steel cable, clamp screw, and fasteners.
2. See Reference Section page v for available paint colors.




This page is intentionally left blank.



Astro Sign-Brac Formed Tubes Cable Mount

Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Most sign-bracs are available with a cable, band, or tenon mount clamp kit.




Galaxy Sign-Brac, Stainless Cable Mount, Formed Tube

AG-0142 - - -

CTC Cable Length Coating
See Sign See See
CTC Table Table PNC=Process No Color
P__=Paint

Cable Length:	62"	84"	96"	120"	144"	220"	280"
Maximum Pole Dia:	7.0"	10.5"	12.4"	16.2"	20.1"	32.2"	35.0"
Pole Dia w/ Ty-back:	4.5"	7.6"	9.6"	13.4"	17.2"	29.3"	35.0"




Stellar Sign-Brac, Stainless Cable Mount, Formed Tube

AS-0142 - - -

CTC Cable Length Coating
See Sign See See
CTC Table Table PNC=Process No Color
P__=Paint

Cable Length:	62"	84"	96"	120"	144"	220"	280"
Maximum Pole Dia:	7.0"	10.5"	12.4"	16.2"	20.1"	32.2"	35.0"
Pole Dia w/ Ty-back:	4.5"	7.6"	9.6"	13.4"	17.2"	29.3"	35.0"

Sign CTC										
Max CTC:	9"	12"	15"	18"	24"	30"	36"	42"	48"	60"
Sign Length:	15"	18"	21"	24"	30"	36"	42"	48"	54"	66"



Notes:

90 mph wind zone maximum: 16 sq-ft


1. Capacity listed is only for applications with the clamp kit mounted in the center of the sign.
2. Signs must be properly engineered for specific application.
3. For higher wind zones and multiple brackets use assemblies shown on T6-1 & T6-2.

Note: 1. All assemblies are supplied standard with stainless steel cable, clamp screw, and fasteners.
2. See Reference Section page v for available paint colors.



Astro Sign-Brac Formed Tubes Band & Tenon Mount

Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Most sign-bracs are available with a cable, band, or tenon mount clamp kit.




Stellar Sign-Brac, Stainless Band Mount, Formed Tube

AS-0105 - - -

CTC Band Length Coating

See Sign See PNC=Process No Color
CTC Table Table P__=Paint

Band Length:	29"	42"	56"	72"	114"
Maximum Pole Dia:	7.3"	11.5"	15.9"	21.0"	34.4"



Stellar Sign-Brac, Tenon Mount, Formed Tube


AS-0179 - -

CTC Coating

See Sign PNC=Process No Color
CTC Table P__=Paint

Note:
Fits 1.9" to 4.5" diameter.

Sign CTC										
Max CTC:	9"	12"	15"	18"	24"	30"	36"	42"	48"	60"
Sign Length:	15"	18"	21"	24"	30"	36"	42"	48"	54"	66"



Notes:

90 mph wind zone maximum: 16 sq-ft


1. Capacity listed is only for applications with the clamp kit mounted in the center of the sign.
2. For higher wind zones and multiple brackets use assemblies shown on T6-1 & T6-2.
3. Signs must be properly engineered for specific application.

Note: 1. All assemblies are supplied standard with stainless steel cable, clamp screw, and fasteners.
2. See Reference Section page v for available paint colors.



Astro Sign-Brac Formed Tubes Atlas Articulated Mounts

Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Most sign-bracs are available with a cable, band, or tenon mount clamp kit.




Atlas Sign-Brac, Articulating Stainless Cable Mount, Formed Tube

AS-0136 - - -

CTC Cable Length Coating
See Sign See See
CTC Table Table PNC=Process No Color
P__=Paint

Cable Length:	62"	84"	96"	120"	144"	220"	280"
Maximum Pole Dia:	7.0"	10.5"	12.4"	16.2"	20.1"	32.2"	35.0"
Pole Dia w/ Ty-back:	4.5"	7.6"	9.6"	13.4"	17.2"	29.3"	35.0"




Atlas Sign-Brac, Articulating Stainless Band Mount, Formed Tube

AS-0135 - - -

CTC Band Length Coating
See Sign See See
CTC Table Table PNC=Process No Color
P__=Paint

Band Length:	29"	42"	56"	72"	114"
Maximum Pole Dia:	7.3"	11.5"	15.9"	21.0"	34.4"

Sign CTC										
Max CTC:	9"	12"	15"	18"	24"	30"	36"	42"	48"	60"
Sign Length:	15"	18"	21"	24"	30"	36"	42"	48"	54"	66"



Notes:

90 mph wind zone maximum: 16 sq-ft


1. Capacity listed is only for applications with the clamp kit mounted in the center of the sign.
2. For higher wind zones and multiple brackets use assemblies shown on T6-1 & T6-2.
3. Signs must be properly engineered for specific application.

Note: 1. All assemblies are supplied standard with stainless steel cable, clamp screw, and fasteners.
2. See Reference Section page v for available paint colors.



Astro Sign-Brac Formed Tubes Vertical Extension Mounts

Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Most sign-bracs are available with a cable, band, or tenon mount clamp kit.




Astro Sign-Brac, Vertical Extension Cable Mount, Formed Tube

AB-0189 - Nipple Length - CTC - Cable Length - Coating

5=5" Nipple See Sign See PNC=Process No Color
6=6" Nipple CTC Table Table P__=Paint
8=8" Nipple

Cable Length:	62"	84"	96"	110"	120"	132"	144"	220"	280"
Maximum Pole Dia:	7.0"	10.5"	12.4"	14.6"	16.2"	18.2"	20.1"	32.2"	35.0"
Pole Dia w/ Ty-back:	4.5"	7.6"	9.6"	11.8"	13.4"	15.3"	17.2"	29.3"	35.0"




Astro Sign-Brac, Vertical Extension Band Mount, Formed Tube

AB-0134 - Nipple Length - CTC - Band Length - Coating

5=5" Nipple See Sign See PNC=Process No Color
6=6" Nipple CTC Table Table P__=Paint
8=8" Nipple

Band Length:	29"	42"	56"	72"	114"
Maximum Pole Dia:	7.3"	11.5"	15.9"	21.0"	34.4"

Sign CTC										
Max CTC:	9"	12"	15"	18"	24"	30"	36"	42"	48"	60"
Sign Length:	15"	18"	21"	24"	30"	36"	42"	48"	54"	66"



Notes:

90 mph wind zone maximum: 16 sq-ft

1. Capacity listed is only for applications with the clamp kit mounted in the center of the sign.
2. For higher wind zones and multiple brackets use assemblies shown on T6-1 & T6-2.
3. Signs must be properly engineered for specific application.

Note: 1. All assemblies are supplied standard with stainless steel cable, clamp screw, and fasteners.
2. See Reference Section page v for available paint colors.



Astro Sign-Brac Electrical Type Stellar Series

Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Most sign-bracs are available with a cable, band, or tenon mount clamp kit.




SIGN MOUNTS




Stellar Sign-Brac, Stainless Cable Mount, Back Attachment for Internally Illuminated Signs

AS-0650	-	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>
		Tube Length		Cable Length		Coating
		23=23" Tube		See Table		PNC=Process No Color
		37=37" Tube				P__=Paint
		46=46" Tube				
		58=58" Tube				
		74=74" Tube				




Cable Length:	62"	84"	96"	120"	144"	220"	280"
Maximum Pole Dia:	7.0"	10.5"	12.4"	16.2"	20.1"	32.2"	35.0"
Pole Dia w/ Ty-back:	4.5"	7.6"	9.6"	13.4"	17.2"	29.3"	35.0"

Stellar Sign-Brac, Stainless Band Mount, Back Attachment for Internally Illuminated Signs



AS-0104	-	<input type="text"/>	-	<input type="text"/>	-	<input type="text"/>
		Tube Length		Band Length		Coating
		23=23" Tube		See Table		PNC=Process No Color
		37=37" Tube				P__=Paint
		46=46" Tube				
		58=58" Tube				
		74=74" Tube				



Band Length:	29"	42"	56"	72"	114"
Maximum Pole Dia:	7.3"	11.5"	15.9"	21.0"	34.4"

Note: 1. All assemblies are supplied standard with stainless steel cable, clamp screw, and fasteners.
2. See Reference Section page v for available paint colors.




Astro Sign-Brac Electrical Type Stellar Series

Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Most sign-bracs are available with a cable, band, or tenon mount clamp kit.



Stellar Sign-Brac, Stainless Cable Mount, Back Attachment for Internally Illuminated Signs and Signals




AS-0651 - - -

23=23" Tube
37=37" Tube
46=46" Tube
58=58" Tube
74=74" Tube


See Table

Coating
PNC=Process No Color
P__=Paint

Cable Length:	62"	84"	96"	120"	144"	220"	280"
Maximum Pole Dia:	7.0"	10.5"	12.4"	16.2"	20.1"	32.2"	35.0"
Pole Dia w/ Ty-back:	4.5"	7.6"	9.6"	13.4"	17.2"	29.3"	35.0"



Stellar Sign-Brac, Stainless Band Mount, Back Attachment for Internally Illuminated Signs and Signals




AS-0107 - - -

23=23" Tube
37=37" Tube
46=46" Tube
58=58" Tube
74=74" Tube

See Table

Coating
PNC=Process No Color
P__=Paint

Band Length:	29"	42"	56"	72"	114"
Maximum Pole Dia:	7.3"	11.5"	15.9"	21.0"	34.4"



Note: 1. All assemblies are supplied standard with stainless steel cable, clamp screw, and fasteners.
2. See Reference Section page v for available paint colors.




Astro Sign-Brac Electrical Type Cable Mount

Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Most sign-bracs are available with a cable, band, or tenon mount clamp kit.



SIGN MOUNTS


Galaxy Sign-Brac, Stainless Cable Mount Top & Bottom Attachment for Internally Illuminated Signs




AG-0652 - - -

23=23" Tube See Table PNC=Process No Color
 37=37" Tube P__=Paint
 46=46" Tube
 58=58" Tube
 74=74" Tube

Cable Length:	62"	84"	96"	120"	144"	220"	280"
Maximum Pole Dia:	7.0"	10.5"	12.4"	16.2"	20.1"	32.2"	35.0"
Pole Dia w/ Ty-back:	4.5"	7.6"	9.6"	13.4"	17.2"	29.3"	35.0"




Stellar Sign-Brac, Stainless Cable Mount Top & Bottom Attachment for Internally Illuminated Signs



AS-0652 - - -

23=23" Tube See Table PNC=Process No Color
 37=37" Tube P__=Paint
 46=46" Tube
 58=58" Tube
 74=74" Tube

Cable Length:	62"	84"	96"	120"	144"	220"	280"
Maximum Pole Dia:	7.0"	10.5"	12.4"	16.2"	20.1"	32.2"	35.0"
Pole Dia w/ Ty-back:	4.5"	7.6"	9.6"	13.4"	17.2"	29.3"	35.0"



Note: 1. All assemblies are supplied standard with stainless steel cable, clamp screw, and fasteners.
 2. See Reference Section page v for available paint colors.




Astro Sign-Brac Electrical Type Band Mount

Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Most sign-bracs are available with a cable, band, or tenon mount clamp kit.




Stellar Sign-Brac, Stainless Band Mount Top & Bottom Attachment for Internally Illuminated Signs



AS-0129 - - -

23=23" Tube See Table PNC=Process No Color
37=37" Tube P__=Paint
46=46" Tube
58=58" Tube
74=74" Tube



Band Length:	29"	42"	56"	72"	114"
Maximum Pole Dia:	7.3"	11.5"	15.9"	21.0"	34.4"

SIGN MOUNTS

pelco
PELCO PRODUCTS, INC.

Note: 1. All assemblies are supplied standard with stainless steel cable, clamp screw, and fasteners.
2. See Reference Section page v for available paint colors.



Sign Bracket Assy for Rigid Structures Stellar Series


Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Sign brackets for rigid structures and rectangular rapid flashing beacons are available with optional tube lengths.



SIGN MTGS



Stellar Sign Bracket Assy, Stainless Cable Mount For Rigid Structures w/ Aluminum Tube




AS-0661 - - -

08=8" w/
Holes 6" CTC
16=16" w/
Holes 9.75" CTC

See Table

Coating
PNC=Process No Color
P__=Paint

Cable Length:	62"	84"	96"	120"	144"	220"	280"
Maximum Pole Dia:	7.0"	10.5"	12.4"	16.2"	20.1"	32.2"	35.0"
Pole Dia w/ Ty-back:	4.5"	7.6"	9.6"	13.4"	17.2"	29.3"	35.0"



Stellar Sign Bracket Assy, Stainless Cable Mount For Rectangular Rapid Flashing Beacon w/ Aluminum Tube


AS-0708 - - -

48=48" Tube
for 24" Sign
56=56" Tube
for 30" Sign
64=64" Tube
36" Sign

See Table

Coating
PNC=Process No Color
P__=Paint

Cable Length:	62"	84"	96"	120"	144"	220"	280"
Maximum Pole Dia:	7.0"	10.5"	12.4"	16.2"	20.1"	32.2"	35.0"
Pole Dia w/ Ty-back:	4.5"	7.6"	9.6"	13.4"	17.2"	29.3"	35.0"



Note: 1. All assemblies are supplied standard with stainless steel cable, clamp screw, and fasteners.
2. See Reference Section page v for available paint colors.




Galaxy T-Spar Sign Bracket


Pelco's Galaxy T-Spar Sign Bracket was designed to work with a 2" square perforated tube. The single cable plate allows for an easy installation and the tube saddle allows multi-directional adjustability. The perforated tube is sold separate.



Galaxy T-Spar Assy, Stainless Cable Mount




Cable Length Coating
 AG-3056 - -
 See Table PNC=Process No Color
 P__=Paint



Tube sold separately

Cable Length:	62"	84"	96"	120"	144"	220"	280"
Maximum Pole Dia:	7.0"	10.5"	12.4"	16.2"	20.1"	32.2"	35.0"
Pole Dia w/ Ty-back:	4.5"	7.6"	9.6"	13.4"	17.2"	29.3"	35.0"

Perforated Tube, 2" x 12 Ga Steel, Galv




Length Coating
 SE-4191 - -
 72"=6' Tube GLV=Galvanized
 P__=Paint

Note: 1. All assemblies are supplied standard with stainless steel cable, clamp screw, and fasteners.
 2. See Reference Section page v for available paint colors.



Mast Arm Sign Bracket

Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Assemblies with cable dampeners provide stability in lower wind speeds, but are flexible enough to bend in extreme wind events.



Sign Hanger Assy, Free-Swinging Tri-Stud w/Cable Dampener & Stainless Bushings Stainless Cable Mini-Brac Mount, Alum

SE-5146 - - -


Cable Length Stainless Upgrade Coating

See Table Blank=Galv PNC=Process No Color

SS=Stainless P__=Paint

Cable Length:	45"	62"	84"
Maximum Pole Dia:	11.1"	16.6"	22.0"

Note:
Stainless upgrade includes stainless steel pins.



Sign Hanger Assy, Free-Swinging Tri-Stud w/ Cable Dampener & Stainless Bushings Stainless Band Mini-Brac Mount, Alum

SE-5015 - - -

Band Length Stainless Upgrade Coating

See Table Blank=Galv PNC=Process No Color

SS=Stainless P__=Paint

Band Length:	29"	42"	56"	72"
Maximum Pole Dia:	7.3"	11.5"	15.9"	21.0"

Note:
Stainless upgrade includes stainless steel pins.

Note: 1. All assemblies are supplied standard with galvanized pins. Stainless upgrade available.
2. See Reference Section page v for available paint colors.



Mast Arm Sign Bracket

Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Assemblies with cable dampeners provide stability in lower wind speeds, but are flexible enough to bend in extreme wind events.



Sign Hanger Assy, Free-Swinging, Cable Dampener w/ Stainless Cable Mini-Brac for Overhead Street Name Signs

AB-0160 Mini-Brac

SE-0903 Sign Hanger w/ Cable Dampener


SE-0902 Sign Hanger w/ Cable Dampener

SE-0547 Angle

SE-5188 - - -
 CTC Cable Length Coating
 See Sign Table See Table PNC=Process No Color
 P__=Paint

Cable Length:	45"	62"	84"
Maximum Pole Dia:	11.1"	16.6"	22.0"

Note:
Stainless upgrade includes stainless steel pins.



SIGNS 3'-6" to 9'-0" LONG					
SIGN LENGTH S	ANGLE LENGTH T	*CTC A	B	C	BRACKET D
2'0"	20"	18"	6"	3"	12"
2'2"	22"	20"	6.7"	4"	14"
2'6"	26"	24"	8"	6"	14"
3'0"	32"	30"	10"	6"	20"
3'6"	38"	36"	12"	7"	24"
4'0"	44"	42"	14"	8"	28"
4'6"	50"	48"	16"	9"	32"
5'0"	56"	54"	18"	10"	36"
5'6"	62"	60"	20"	11"	40"
6'0"	68"	66"	22"	12"	44"
6'6"	74"	72"	24"	13"	48"
6'10"	78"	76"	25.3"	14"	50"
7'0"	80"	78"	26"	14"	52"
7'6"	86"	84"	28"	15"	56"
8'0"	92"	90"	30"	16"	60"
8'6"	98"	96"	32"	17"	68"
9'0"	104"	102"	34"	18"	68"
9'6"	110"	108"	36"	19"	72"
10'0"	116"	114"	38"	20"	76"

AB-0121 Mini-Brac

SE-0903 Sign Hanger w/ Cable Dampener

SE-0902 Sign Hanger w/ Cable Dampener

SE-0547 Angle

Sign Hanger Assy, Free-Swinging, Cable Dampener w/ Stainless Band Mini-Brac for Overhead Street Name Sign

SE-5128 - - -
 CTC Band Length Coating
 See Sign Table See Table PNC=Process No Color
 P__=Paint

Band Length:	29"	42"	56"	72"
Maximum Pole Dia:	7.3"	11.5"	15.9"	21.0"

Note:
Stainless upgrade includes stainless steel pins.

Note: 1. All assemblies are supplied standard with stainless steel cable, clamp screw, and fasteners, with galvanized pins. Stainless upgrade of pins available.
2. See Reference Section page v for available paint colors.



SIGN MOUNTS




Span Wire Sign Hanger Assemblies

Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Assemblies with cable dampeners provide stability in lower wind speeds, but are flexible enough to bend in extreme wind events.



SIGN MTGS




Span Wire Sign Hanger, 16" CTC, Adjustable with Tether, Alum

SE-5116 - - -

Bushing	Stainless Upgrade	Coating
Blank=None	Blank=Galv	PNC=Process No Color
SB=Stainless	SS=Stainless	P__=Paint
Bushing		

Note: Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.




Span Wire Sign Hanger, 16" CTC, Adjustable with Stabilizer Bar, Alum

SE-5114 - - -

Bushing	Stainless Upgrade	Coating
Blank=None	Blank=Galv	PNC=Process No Color
SB=Stainless	SS=Stainless	P__=Paint
Bushing		

Note: Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.



Span Wire Sign Hanger, Double, 16" CTC, Adjustable with Tether, Alum

SE-5112 - - -

Bushing	Stainless Upgrade	Coating
Blank=None	Blank=Galv	PNC=Process No Color
SB=Stainless	SS=Stainless	P__=Paint
Bushing		

Note: Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

pelco
PELCO PRODUCTS, INC.




Span Wire Sign Hanger Assemblies

Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Assemblies with cable dampeners provide stability in lower wind speeds, but are flexible enough to bend in extreme wind events.



Sign Hanger Assy, Free-Swinging w/ Span Wire Clamp for Overhead Street Name Sign

SE-0321
Span Wire
Clamp




SE-0507
Extender

SE-0547
Angle

SE-5219 - CTC - Extender - Bushing - Stainless Upgrade - Coating

*See Chart Blank=No Extender Blank=None Blank=Galv PNC=Process No Color
11=11" Extenders SB=Stainless Bushing SS=Stainless P__=Paint

Note:
Shown with extenders.
Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.



SIGNS 3'-6" to 9'-0" LONG					
SIGN LENGTH	ANGLE LENGTH	*CTC	B	C	BRACKET D
2'0"	20"	18"	6"	3"	12"
2'2"	22"	20"	6.7"	4"	14"
2'6"	26"	24"	8"	6"	14"
3'0"	32"	30"	10"	6"	20"
3'6"	38"	36"	12"	7"	24"
4'0"	44"	42"	14"	8"	28"
4'6"	50"	48"	16"	9"	32"
5'0"	56"	54"	18"	10"	36"
5'6"	62"	60"	20"	11"	40"
6'0"	68"	66"	22"	12"	44"
6'6"	74"	72"	24"	13"	48"
6'10"	78"	76"	25.3"	14"	50"
7'0"	80"	78"	26"	14"	52"
7'6"	86"	84"	28"	15"	56"
8'0"	92"	90"	30"	16"	60"
8'6"	98"	96"	32"	17"	68"
9'0"	104"	102"	34"	18"	68"
9'6"	110"	108"	36"	19"	72"
10'0"	116"	114"	38"	20"	76"

Note: 1. All assemblies are supplied standard with stainless steel slotted washers and fasteners with galvanized fasteners and pins on span wire clamps. Stainless upgrade available.
2. See Reference Section page v for available paint colors..

Note: 1. All assemblies are supplied standard with stainless steel fasteners with galvanized fasteners and pins on span wire clamps. Stainless upgrade available.
2. See Reference Section page v for available paint colors..




Span Wire Sign Hanger Assemblies

Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Assemblies with cable dampeners provide stability in lower wind speeds, but are flexible enough to bend in extreme wind events.




Span Wire Sign Hanger, 6" & 14" CTC Serrated Span Wire Clamp, Alum

SE-3213
Serrated Span
Wire Clamp



SE-5115 - Coating
PNC=Process No Color
P__=Paint




Span Wire Sign Hanger, 6" & 14" CTC 90° Span Wire Clamp, Adjustable, Alum

SE-3212
90° Span wire
Clamp



SE-5111 - - Coating
SB=Stainless PNC=Process No Color
P__=Paint



Note: 1. All assemblies are supplied standard with stainless steel fasteners.
2. See Reference Section page v for available paint colors.




Span Wire Sign Hanger Assemblies

Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Assemblies with cable dampeners provide stability in lower wind speeds, but are flexible enough to bend in extreme wind events.



SIGN MOUNTS




Sign Hanger Assy, Iron Span Wire Clamp, Alum

SE-5190 - - - -

See Chart Blank=None Blank=Galv PNC=Process No Color
SB=Stainless SS=Stainless P__=Paint
Bushing

CTC	SIGN
11"	16"
13"	18"
19"	24"
25"	30"
31"	36"
37"	42"

Note: Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.




Sign Hanger Assy, Iron Span Wire Clamp, Top & Bottom Mount w/ Tether, Alum

SE-5189 - - - -

See Chart Blank=None Blank=Galv PNC=Process No Color
SB=Stainless SS=Stainless P__=Paint
Bushing

CTC	SIGN
11"	16"
13"	18"
19"	24"
25"	30"
31"	36"
37"	42"

Note: Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.



Sign Hanger Assy, Adjustable, Iron Span Wire Clamp, Alum

SE-5191 - - - - -

See Chart Blank=None Blank=None Blank=Galv PNC=Process No Color
T=Tether SB=Stainless SS=Stainless P__=Paint
Bushing

CTC	SIGN
11"	16"
13"	18"
19"	24"
25"	30"
31"	36"
37"	42"


Note: Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

Note: 1. All assemblies are supplied standard with stainless steel fasteners with galvanized fasteners and pins on span wire clamps. Stainless upgrade available.
2. See Reference Section page v for available paint colors.



Span Wire Sign Hanger Assemblies


Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Assemblies with cable dampeners provide stability in lower wind speeds, but are flexible enough to bend in extreme wind events.



Span Wire Sign Hanger Assy, Free-Swinging Alum Span Wire Clamp, Gusseted Tube & Tether, Alum

SE-5226	-	Tube Length	-	Bushing	-	Stainless Upgrade	-	Coating
	-	37=37" Tube 52=52" Tube 65=65" Tube 72=72" Tube 96=96" Tube	-	Blank=None SB=Stainless Bushing	-	Blank=Galv SS=Stainless	-	PNC=Process No Color P__=Paint

Note: Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.



Span Wire Sign Hanger Assy, Free-Swinging Iron Span Wire Clamp, Tether & Sign Clamps, Alum

SE-5098	-	Bushing	-	Stainless Upgrade	-	Coating
	-	Blank=None SB=Stainless Bushing	-	Blank=Galv SS=Stainless	-	PNC=Process No Color P__=Paint


Note: Stainless upgrade includes stainless steel fasteners and pins on span wire clamp.

Note: 1. All assemblies are supplied standard with stainless steel slotted washers and fasteners with galvanized fasteners and pins on span wire clamps. Stainless upgrade available.
2. See Reference Section page v for available paint colors..



Sign Mount Assemblies

Pelco manufactures a variety of sign brackets in rigid and free-swinging mounts for both flat and internally illuminated signs. Assemblies with cable dampeners provide stability in lower wind speeds, but are flexible enough to bend in extreme wind events.



Rear View

Front View

Adjustable Sign Mount Assy, Mast Arm Mount w/ Zee Bar, Alum


Zee Bar
CTC

SH-0112 - -


24=24"
30=30"
36=36"
42=42"
Blank=None

Coating

PNC=Process No Color
P__=Paint



Sign Mount Assy, Regulatory Stainless Cable Mini-Brac, Alum



Cable Length

SH-3568 - -

See Table

Coating

PNC=Process No Color
P__=Paint

Cable Length:	45"	62"	84"
Maximum Pole Dia:	11.1"	16.6"	22.0"

Note:
Maximum sign size of 36" x 36" for 100 MPH winds.

- Note: 1. All assemblies are supplied standard with stainless steel cable and fasteners.
2. See Reference Section page v for available paint colors.
3. See Section T16 for additional sign mounting assemblies.




Sign Accessories

Pelco's safety cable assemblies are available for span wire, Astro-Brac, and sign hanger assemblies.




SIGN MTGS



Safety Cable for Span Wire

SE-3294 - -
Cable Length Galv
84=84" Blank=Galv
96=96" SS=Stainless
110=110"

Note:
Cable length refers to overall length. Assembled length is half of the cable length.



Safety Cable for Astro-Brac

AB-0503 - -
Cable Length Galv
84=84" Blank=Galv
96=96" SS=Stainless
110=110"

Note:
Cable length refers to overall length. Assembled length is half of the cable length.



Safety Cable for Sign Hangers, Stainless

SH-1867 - - SS
Cable Length
24=24"
48=48"
72=72"
100=100"
120=120"

Note:
Cable length refers to overall length. Assembled length is half of the cable length.

Note: 1. All assemblies are supplied standard with stainless steel fasteners.

pelco
PELCO PRODUCTS, INC.




Sign Accessories

Accessories for sign mountings such as hangers, extenders, and tethers are available in a variety of configurations.



Hanger Assy, Extender Connector for 1/2" Slot, w/ 1-1/4" Bolts, Alum




SE-5037 - -
 Bushing Coating
 Blank=None PNC=Process No Color
 SB=Stainless P__=Paint
 Bushing

Hanger Assy, Extender Connector for 3/4" Slot, w/ 1-1/4" Bolts, Alum

SE-5197 - -
 Bushing Coating
 Blank=None PNC=Process No Color
 SB=Stainless P__=Paint
 Bushing

Hanger & Body Assy for 1/2" Slot, Tri-Stud, Alum



SE-5036 - -
 Bushing Coating
 Blank=None PNC=Process No Color
 SB=Stainless P__=Paint
 Bushing

Extender Assy for 1/2" Slot, w/ Extender Connector & Extender, Alum



SE-5180 - - -
 Extender Bushing Coating
 Length
 11=11" Blank=None PNC=Process No Color
 19=19" SS=Stainless P__=Paint
 40=40" Bushing
 72=72"

Note: 1. All assemblies are supplied standard with stainless steel slotted washer and fasteners.
 2. See Reference Section page v for available paint colors.




Sign Accessories

Accessories for sign mountings such as hangers, extenders, and tethers are available in a variety of configurations.




SIGN MTGS



Extender, Alum w/ 5/16"-18 x 1-1/4" Bolts

SE-5181 - - PNC


Extender Length
 06=6"
 11=11"
 19=19"
 24=24"
 40=40"
 72=72"



Extender Assy w/ Tether, Alum w/ 5/16"-18 x 1-1/2" Bolts

SE-5051 - - PNC

Extender Length
 06=6"
 11=11"
 19=19"
 24=24"
 40=40"
 72=72"



Extender Assy w/ 11" Extenders, Alum w/ 5/16"-18 x 1" & 1-1/2" Bolts

SE-5069 -


Coating
 PNC=Process No Color
 P__=Paint

Note: 1. All assemblies are supplied standard with stainless steel fasteners.
 2. See Reference Section page v for available paint colors.




Sign Accessories

Sign mountings accessories such as hangers, extenders, cable dampeners, tethers, and sign-brac tube are available in a variety of configurations.




Tether Plate Assembly, Alum w/ 5/16"-18 x 2-1/4" Bolts

SE-5039-PNC



Tether Plate Assembly, Alum w/ 5/16"-18 x 1-1/2" Bolts

SE-2509-PNC




Tether Plate Assembly, Alum w/ Stabilizer Bars & 5/16"-18 x 1-3/4" Bolts

SE-2512 -

Coating

PNC=Process No Color

P__=Paint



Tether Plate Assembly, Alum w/ Stabilizer Bar, Block, & 5/16"-18 x 2" Bolts

SE-2519 -

Coating

PNC=Process No Color


P__=Paint

Note: 1. All assemblies are supplied standard with stainless steel fasteners.
2. See Reference Section page v for available paint colors.




Sign Accessories

Sign mountings accessories such as hangers, extenders, cable dampeners, tethers, and sign-brac tube are available in a variety of configurations.




Sign-Brac Tube w/ 5/16"-18 Hardware, 1-1/2" Sch 10 Alum

AB-0507 - -
 CTC Coating
 See Table PNC=Process No Color
 P__=Paint




Max CTC:	9"	12"	15"	18"	24"	30"	36"	42"	48"	60"
Sign Length:	15"	18"	21"	24"	30"	36"	42"	48"	54"	66"




Sign-Brac Tube, Extended w/ 5/16"-18 Hardware, 1-1/2" Sch 10 Alum

AB-0365 - - -
 Extension CTC Coating
 See Table PNC=Process No Color
 P__=Paint
 6=6" Extension
 8=8" Extension
 12=12" Extension




Max CTC:	9"	12"	15"	18"	24"	30"	36"	42"	48"
Sign Length:	15"	18"	21"	24"	30"	36"	42"	48"	54"



Cable Dampener, Span Wire, Alum w/ Double Clevis & 3/4" Stainless Cable

SE-0700 - -
 Bushing Coating
 Blank=None PNC=Process No Color
 SB=Stainless P__=Paint
 Bushing



Cable Dampener, Span Wire, Alum w/ Single Clevis & 3/4" Stainless Cable

SE-0701 - -
 Bushing Coating
 Blank=None PNC=Process No Color
 SB=Stainless P__=Paint
 Bushing

Note: 1. All assemblies are supplied standard with stainless steel fasteners.
 2. See Reference Section page v for available paint colors.



This page is intentionally left blank.

